झांसी में दूरभाष की डायल प्रणाली

1376. डा० गोविंद दास रिछारिया : क्या संचार मंत्री यह बताने की कृपा करेंगे कि :

(क) झांसी में दूरभाष की डायल प्रणाली चालू किये जाने के संबंध में अब तक क्या प्रगति हुयी है;

(ख) क्या इसके लिये वहां आवश्यक मशीनरी आदि लगा दी गई है, यदि नहीं, तो यह कार्य कब तक पूरा कर लिया जायेगा; और

(ग) वहां दूरभाष की डायल प्रणाली कब तक शुरू कर दिये जाने की सम्भावना है ?

संचार मंत्रालय में राज्य मंत्री (श्री गिरिधर गोमांगो) : (क) वर्तमान मैनुअल प्रणाली का स्वचलीकरण करने की योजना को मंजूरी दे दी गयी है। मैसर्स आईटीआई रायबरेली को 3000 लाइनों के आईसीपी टाइम के स्वचल एक्सचेंज उपस्कर के लिए आर्डर दे दिया गया है। इसकी सप्लाई वर्तमान वर्ष (1988-89) में होनी है। इस एक्सचेंज को स्थापित करने के लिये भवना का निर्माण कार्य अभी हाल ही में पूरा हुआ है।

(ख) और (ग) स्थापनाकार्य शीघ्र ही शुरू होने की संभावना है तथा ऐसी संभावना है कि यह कार्य वर्ष 1990-91 तक पूरा हो जायेगा व एक्सचेंज के भी उसी वर्ष चालू होने की संभावना है।

Construction of oil pipeline from Kandla to Bhatinda

1377. SHRI RAOOF VALIULLAH: Will the Minister of PETROLEUM AND NATURAL GAS be pleased to state:

(a) whether Government have decided to construct oil piplenie from Kandla to Bhatinda, if so, what are the details thereof, including its cost-benefit ratio;

(b) whether tenders have been issued and preliminary survey has been undertaken by Government for the project, if so, whether any point for intermediate use of oil has been identified; and

(c) whether there is any proposal to supply oil to Koyali Refinery in view of the increase in demand and subsequent increase in the refining capacity of Koyali refinery?

THE MINISTER OF STATE OF THE MINISTRY OF PETROLEUM AND NATURAL GAS (SHRI BRAHM DUTT): (a) A product pipeline is proposed to be laid from Kandla to Bhatinda with an initial capacity of 3 MMTPA in Kandla-Karnal Section and 1.5 MMTPA in Karnal-Bhatinda section with provision for further expansion. This pipeline is estimated to cost Rs. 686.54 crores at March, 1988 price level. The feasibility report of the project reveals that the gross margin on capita employed as 27.91 per cent, net return on capital expenditure from public funds as 15.91 per cent and net profit on equity as 18.31 per cent. The internal rate of return works out to 16.82 per cent to Public Sector and 13.90 per cent to Public Enterprise.

(b) No tenders have been issued. taken. Intermediate tap-off points for delivery of products are proposed at Sidhpur, Jodhpur (through branch-line from Kot), Sanganer, Rewari, Karnal and Sangrur in addition to the Bhatinda Terminal.

(c) The necessary facilities for transporting the increased quantity of crude from oil fields in Gujarat to Koyali refinery is being arranged by ONGC.

Setting up of gas based power plant in Pondicherry

1378. SHRI V. NARAYANASAMY: Will the Minister of PETROLEUM

AND NATURAL GAS be pleased to state:

(a) whether it is a fact that the Government of Pondicherry requested the Central Government for setting up of gas based power plant at Karaikal which is very near to Narimanam area of Tamil Nadu wherein large reserves of natural gas is available?

(b) if so, whether the Central Government has accepted the proposal of the State Government for setting up of gas based power plant in Karaikal region of Union Territory of Pondicherry; and

(c) if so, what is the total estimate of the project and by when it will be implemented?

THE MINISTER OF STATE OF THE MINISTRY OF PETROLEUM AND NATURAL GAS (SHRI BRAHM DUTT): (a) Yes, Sir.

(b) and (c) The possibility of supply of gas for this purpose is being examined.

Telecommunication system in Calicut

1379. SHRI ARANGIL SREEDHARAN: Will the Minister of COMMUNICATIONS be pleased to state:

(a) whether Government have received any representation regarding the mal-functioning of the telecommunication system in Calicut city;

(b) if so, what are the details thereof; and

(c) what steps Government have taken to improve the functioning of the telecommunication system in Calicut?

THE MINISTER OF STATE IN THE MINISTRY OF COMMUNICATIONS (SHRI GIRIDHAR GOMANGO): (a) and (b) Yes, Sir. Some complaints have been received regarding poor functioning of telephone system and excess metering from public of Calicut. Services were affected due to agitation by a section of employees.

(c) As the services deteriorated action was initiated against a selected number of agitating staff and maintenance efforts have increased. The situation is almost normal at present. One senior officer was deputed to Calicut to hear the complaints. He also met the mayor and persons from public bodies of Calicut. Actions are being taken to deal with excess metering complaints expeditiously.

दूसरा सिलेंडर दिये जाने हेतु निर्देश

1380. **श्री सुशील कुमार पट्टनायक :** क्या पेट्रोलियम और प्राकृतिक गैस मंत्री यह बताने की कृपा करेंगे कि :

(क) क्या यह सच है कि इंडियन आयल कारपोरेशन लिमिटेड सांसदों तथा महत्वपूर्ण व्यक्तियों की सिफारिशों पर प्राथमिकता के आधार पर गैस कनेक्शन देते समय दूसरा सिलेंडर दिये जाने के निर्देश जारी नहीं कर रहा है जबकि 1986-87 में आवेदनकर्त्ता डी०बी०सी० की मोहर लगवाकर तुरन्त ही दूसरा सिलेंडर प्राप्त कर सकते थे;

(ख) यदि भाग (क) का उत्तर "हां" में है, तो क्या सरकार सिफारिशी वाउचरों पर इस सुविधा हेतु निर्देश जारी करने का विचार रखती है ताकि महत्वपूर्ण व्यक्तियों के आवेदकों तथा सिफारिशी प्राथमिकता प्राप्त वाउचरों को उक्त सुविधा प्राप्त हो सके; और

(ग) यदि हां, तो उसका ब्यौरा क्या है और यदि नहीं, तो उसके क्या कारण हैं?

पेट्रोलियम और प्राकृतिक गैस मंत्रालय के राज्य मंत्री (श्री ब्रह्म दत्त) : (क) से (ग) संसद सदस्यों/विशिष्ट व्यक्तियों की सिफारिशों पर वरीयता के आधार पर एल०पी०जी० के कनैक्शन जारी करने के आदेश के अनुसार इंडियन आयल कारपोरेशन द्वारा दिये जाते हैं। यदि जारी